

LIFERAFT CRANES

*slewing execution manually driven,
sizes 004, 005, 010 and 015 tm*



Product description liferaft cranes, type Lms.

The group name of Lms.-type liferaft cranes represents the simplest execution of slewing cranes for liferafts available: with manually driven slewing features. Besides liferaft slewing cranes also liferaft folding davits are available (see further in this catalogue). These and other systems are available upon request. The systems are in full accordance with the present SOLAS-rules and are MED certified.

Each system consists of:

- pedestal suitable for welding to deck
- column with integrated manually driven slewing gear
- arm in box shape construction
- liferaft winch with centrifugal brake
- wire rope in galvanized (anti-corrosion) non-rotating steel
- stainless steel hook for automatic release of the liferaft
- remote control of the stop-go type for lowering

additionally for handling of a second liferaft:

- liferaft winch with quick-return for multiple raft handling
- jockey pulley for retrieving of the empty hook


additionally for stores handling features:

- stores winch with electric motor in IP56
- electric system with stainless steel starter box with push buttons
- wire rope in galvanized (anti-corrosion) non-rotating steel
- suspension according to the latest DIN-standards

options a.o.:

- electric remote control for stores winch
- flood light on arm connected to the ship's emergency circuit
- electric slewing facilities (additional)

Explanation of type code



LIFERAFT DAVITS

turning out using winch and falls



Product description liferaft davits, type Lgp.

The group name of Lgp.-type liferaft davits represents the simplest execution of folding davits for liferafts available: with turning out on gravity. Besides liferaft folding davits also liferaft slewing cranes are available (see further in this catalogue). These and other systems are available upon request. The systems are in full accordance with the present SOLAS-rules and are MED certified.

Each folding davit consists of:

- stool suitable for welding to deck adapted to the deck situation
- arm in box shape construction
- liferaft winch with centrifugal brake
- wire rope in galvanized (anti-corrosion) non-rotating steel
- stainless steel hook for automatic release of the liferaft
- remote control of the stop-go type for lowering

additionally for handling of a second liferaft:

- liferaft winch with quick-return for multiple raft handling
- jockey pulley for retrieving of the empty hook

Explanation of type code

